Applicant: Lam et al. Application No.: Not Yet Known

IN THE CLAIMS

Please amend claims 1-13, as follows:

1. (Currently amended) A stabilizing arrangement for a double walled

drawer, mounted for guided in and out movement with respect to a furniture body

comprising; drawer support means, for supporting said drawer during the in and out

movement; a guide (30) located in a slot on the support means to accommodate

variance between the furniture body and said drawer width; a runner system housed

within said support means to enable said in and out movement; wherein said guide

being moveable laterally in order to be aligned with a drawer runner system while

fitting into said slot and locked thereto when force is applied to said guide (30).

The stabilizing arrangement as claimed in claim 2. (Currently amended)

1-or-claim 2, wherein the drawer support means for supporting the in and out

movement is a bottom support bracket (60).

3. (Original) The stabilizing arrangement as claimed in claim 1 further

comprising a force supplying means, for locking said guide onto the support means.

The stabilizing arrangement as claimed in claim 4. (Currently amended)

1, wherein the guide 30-is sized to relatively fit in a serration on the bottom support

bracket 60.

-4-

Applicant: Lam et al. **Application No.:** Not Yet Known

5. (Currently amended) The stabilizing arrangement as claimed in

anyone of claim 1 to 3, wherein the force supplying means applies constant pressure to

the guide 30.

6. (Currently amended) The stabilizing arrangement as claimed in claim

13 wherein the force supplying means for producing a resilient force on said guide (30)

includes a lever (20) and a leg (10).

7. (Currently amended) The stabilizing arrangement as claimed in claim

56, wherein said lever (20) is in the form of an inverted U-shaped bracket.

8. (Currently amended) The stabilizing arrangement as claimed in claim

 $\underline{56}$, wherein said leg $\underline{(10)}$ is formed \underline{of} sheet metal or any suitable material with two

side surfaces with a relatively smooth edge, which is adapted to fit a recess 21 of said

lever 20.

9. (Currently amended) The stabilizing arrangement as claimed in claim

13, wherein the force supplying means is affixed onto the drawer bottom support

bracket 60 by a holder 40.

-5-

Applicant: Lam et al. **Application No.:** Not Yet Known

- 10. (Currently amended) The stabilizing arrangement as claimed in claim 79, wherein the holder (40) is in the form of an L-shaped bracket.
- 11. (Currently amended) The stabilizing arrangement as claimed in claim1 wherein the guide (30) is in alignment automatically with the runner system.
- 12. (Currently amended) The A drawer fitted with comprising [[a]] the stabilizing arrangement as claimed in anyone of claim 1-to-claim 5.
- 13. (Currently amended) A The drawer as claimed in claim [[1]] 12, wherein having the stabilizing arrangement is on at least one side of the drawer.